

## لیست و ویرایش سؤالات

پاسخ

متن سؤال

1 In PHP, which of the following function is used to insert content of one php file into another php file before server executes it .

include[]

#include()

✓ include()

#include{}

2 In php string data are ?

delimited by single quote

delimited by double quote

delimited by <<< identifier

✓ All of above

3 Which of the following method is suitable when you need to send larger form submissions?

Get

✓ Post

Both Get and Post

There is no direct way for larger form. You need to store them in a file and retrieve

4 What is the expansion of LAMP?

Linux And Mysql Php

✓ Linux Apache Mysql Php

5 PHP code is embedded directly into XHTML document?

False

✓ True

6 mysql\_connect( ) does not take following parameter.

✓ database name

database host

user ID

password

bool func\_exist(functionname)

bool f\_exists(functionname)

8 what will be the output of below code ? read()) { echo \$y." " } \$y->close(); ?>

display content of the all drives

✓ display a folder content

display all folder names

Parse error

9 Above program will call the function display\_result()

False

✓ True

Parser Error

None of the above

10 Whether One-line comment begin with pound sing(#) in php?

✓ True

False

None of above

11 Trace the false statement

✓ Because the included code will be embedded in a PHP execution block, the PHP escape tags ( aren't required on the file to be includeD.

Any code found within an included file will inherit the variable scope of the location of its caller

For the inclusion of remote files the allow-url-pope must be enabled ad URL wrapper must be supported

Including a file produces the same result as copying the data from the file specified into the location in which the statement appears.

12 what will be the ouput of below code ? define("x","5"); \$x=x+10; echo x; ?>

Error

✓ 5

10

15

13 What is the out put.

43

8

**14** What happens if you add a string to an integer using the + operator?

The interpreter outputs a type mismatch error

The string is converted to a number and added to the integer

✓ The string is discarded and the integer is preserved

The integer and string are concatenated together in a new string

**15** Variable scope on which a variable does not lose its value when the function exists and use that value if the function is called again is

✓ static

Local

function parameter

None of above

**16** Which of the following variables is not a predefined variable?

\$request

✓ \$ask

\$get

\$post

**17** what will be the output of below code ?

shows the IP address of the webserver

shows the IP address of the local system

✓ shows the IP address of the visitor

None of the above

**18** The output of following script would be `$somerar=15; function addit () { GLOBAL $somevar; $somerar++; echo "somerar is $somerar"; } addit ();`

somerar is 1

somerar is 15

✓ somerar is 16

somerar is \$ somerar

**19** Trace the odd data type?

floats

✓ integer

doubles

Real number

4.0

7e4

✓ All of above

21 In php string data are ?

delimited by single quote

delimited by double quote

delimited by <<< identifier

✓ All of above

22 Which of the following delimiting method is known as string Interpolation

delimited by single quote

delimited by double quote

✓ delimited by <<< identifier

All of above

23 Which datatypes are treated as arrays ?

Integer

Float

✓ String

Booleans

24 Which of following are compound data type?

Array

Objects

None

✓ Both

25 Casting operator introduced in PHP 6 is ?

(array)

✓ (int64)

(real) or (double) or (float)

(object)

26 When defining identifier in PHP you should remember that ?

Identifier are case sensitive. So \$result is different than \$ result

**27** Identify the invalid identifier ?

my-function

size

-some word

✓ This&that

**28** Which of following variable assignment is 'by value' assignment in PHP ?

✓ \$value1= \$value?

\$value1= # \$value?

\$value1= & \$value?

None

**29** Identify the variable scope that is not supported by PHP ?

Local variables

Function parameters

✓ Hidden variables

Global variables

**30** The left association operator % is used in PHP for ?

percentage

✓ bitwise or

division

modulus

**31** The left associative dot operator (.) is used in PHP for ?

multiplication

✓ concatenation

separate object and its member

delimiter

**32** Which of the following functions require the allow-url-fopen must be enabled?

include()

require()

✓ both of above

None of above

include ()

✓ require ()

both of above

None of above

---

**34** On failure of which statement the script execution stops displaying error/warning message?

include ()

✓ require ()

both of above

None of above

---

**35** Trace the function that does continue the script execution even if the file inclusion fails

✓ include ()

require ()

both of above

None of above

---

**36** Which of the following will not combine strings \$s1 and \$s2 into a single string?

✓ \$s1 + \$s2

"{\$s1}{\$s2}"

\$s1.\$s2

implode(' ', array(\$s1,\$s2))

---

**37** Given a variable \$email containing the string user@example.com, which of the following statements would extract the string example.com?

substr(\$email, strpos(\$email, "@"));

strstr(\$email, "@");

strchr(\$email, "@");

✓ substr(\$email, strpos(\$email, "@")+1);

---

**38** Given a comma-separated list of values in a string, which function from the given list can create an array of each individual value with a single call?

strstr()

strtok()

✓ explode()

extract()

---

**39** What is the best all-purpose way of comparing two strings?

✓ Using strcmp()

40 Which of the following PCRE regular expressions best matches the string php|architect?

d{3}|d{8}

✓ [a-z][a-z][a-z]|w{9}

[az]{3}|[az]{9}

.\*

41 Which of the following functions can be used to determine the integrity of a string?

md5()

sha1()

crc32()

✓ all of the above

42 What happens if you add a string to an integer using the + operator?

The interpreter outputs a type mismatch error

The string is converted to a number and added to the integer

✓ The string is discarded and the integer is preserved

The integer and string are concatenated together in a new string

43 The \_\_\_\_\_ function can be used to compare two strings using a case-insensitive binary algorithm ?

strcmp()

strcmp()

✓ strcasecmp()

stristr()

44 Which of the following functions can be used to convert the binary data stored in a string into its hexadecimal representation?

encode\_hex()

✓ pack()

hex2bin()

bin2hex()

45 ^[A-Za-z].\* matches

play it again

I

✓ both (A) and (B)

9001 and 12-4321

✓ 90001 and 90002-4323

**47** How do you get information from a form that is submitted using the "get" method?

✓ `$_GET[];`  
`Request.Form;`  
`Request.Query String;`  
`$_POST[];`

**48** What's the best way to copy a file from within a piece of PHP?

out a message asking your user to "telnet" in to the server and copy the file for you

Open the input and output files, and use `read()` and `write()` to copy the data block by block until `read()` returns a zero

✓ Use the built in `copy()` function  
Use "exec" to run an operating system command such as `cp` (Unix, Linux) or `copy` (Windows)

**49** PHP code is embedded directly into XHTML document?

False

✓ True

**50** Is it possible to submit a form with out a submit button?

✓ Yes  
No

**51** What is the out put ?

✓ 2  
3  
1  
4

**52** In php Which method is used to getting browser properties?

`$_SERVER['PHP_SELF']`

`$_SERVER['HTTP_VARIEN']`

✓ `$_SERVER['HTTP_USER_AGENT'];`  
`$_SERVER['SERVER_NAME']`



Rand\_array()

✓ array\_rand()

Random\_array()

**54** Assume that your php file 'index.php' in location c:/apache/htdocs/phptutor/index.php. If you used \$\_SERVER['PHP\_SELF'] function in your page, then what is the return value of this function ?

phptutor/index.php

✓ /phptutor/index.php

c:/apache/htdocs/phptutor/index.php

index.php

**55** Which operator is used to concatenate two strings in php?

plus operator (+)

✓ dot operator (.)

**56** What is the output ? Assume that today is 2009-5-19:2:45:32 pm

may 19,09,2:45:32 PM

✓ May 19, 2009, 2:45 pm

May 19,2009,14:45:32 pm

May 19,2009,14:45:32 PM

**57** Are there regular expressions in PHP?

Yes - regular expressions use Perl-like conventions

✓ Yes - PHP supports two different types of regular expressions: POSIX-extended and Perl-Compatible Regular Expressions (PCRE).

Yes - regular expressions use the POSIX standard

No - PHP uses "glob" style matching only

**58** What function used to print statement in PHP?

✓ echo();

printf

""

**59** Which of the following function is used to terminate the script execution in PHP?

break()

quit()

✓ die()

x=42

42

✓ Null

61 PHP variables are\_\_\_\_\_ ?

✓ Multitype variables

Single type variable

Double type variables

Tribble type variables

62 Is php can support multiple inheritance?

✓ NO

YES

63 Which of these statements is true?

PHP interfaces to the MySQL database, and you should transfer any data in Oracle or Sybase to MySQL if you want to use PHP on the data.

PHP interfaces to a number of relational databases such as MySQL, Oracle and Sybase. A wrapper layer is provided so that code written for one database can easily be transferred to another if you later switch your database engine.

✓ PHP interfaces to a number of relational databases such as MySQL, Oracle and Sybase but the interface differs in each case.

There's little code in PHP to help you interface to databases, but there's no reason why you can't write such code if you want to.

64 How would you add 1 to the variable \$count?

incr count;

✓ \$count++;

\$count =+1

incr \$count;

65 what is the return value of this substr function?

✓ f,abcde

b,abcdef

a,fedcb

a,abcde

66 Which of the following is used to check if a function has already been defined?

✓ bool function\_exists(functionname)

bool func\_exist(functionname)

phptutor

phptutor/index.php

- ☒ index.php  
/index.php

**68** Above program will call the function display\_result()

False

- ☒ True  
Parser Error  
None of the above

**69** Father of PHP?

Larry Wall

- ☒ Rasmus Lerdorf  
James Gosling  
Guido Van Rossum

**70** All variables in PHP start with which symbol?

!

- ☒ \$  
&  
%

**71** In PHP the error control operator is \_\_\_\_\_ ?

.

\*

- ☒ @  
&

**72** What is the out put.

- ☒ 2  
3  
1  
4

**73** Full form of PHP.

**74** what will be the output of below code ?

- ☒ 1
- Quality
- Null

**75** what will be the output of below code ?

- 3.5
- ☒ 3
- 3.5seconds
- 3seconds

**76** what will be the output of below code ? `"mouse",7=>"keyboard"); $y=array_keys($x); echo $y[1]; ?>`

- 2
- ☒ 7
- keyboard
- mouse

**77** what will be the output of below code ?

- 98
- 98.8
- ☒ 98.8degrees
- degrees

**78** what will be the output of below code ? `$x="101.5degrees"; (double)$x; (int)$x; echo (string)$x; ?>`

- 101.5
- degrees
- 101
- ☒ 101.5degrees

**79** PHP is.....

- Partially cross-platform
- ☒ Truly cross-platform
- None of above

`$my_Var`

`$myVar`

**81** In PHP, the `die()` and `exit()` functions do the exact same thing.

✓ True

False

**82** PHP can be run on Microsoft Windows IIS(Internet Information Server):

False

✓ True

**83** What is a correct way to add a comment in PHP?

`*...*`

✓ `/*...*/`

`...`

**84** What is the correct way to add 1 to the `$count` variable?

`count++;`

`++count`

✓ `$count++;`

`$count +=1`

**85** What is the correct way to connect to a MySQL database?

✓ `mysqli_connect(host,username,password,dbname);`

`mysqli_open(host,username,password,dbname);`

`mysqli_db(host,username,password,dbname);`

**86** PHP allows you to send emails directly from a script

✓ True

False

**87** What is the correct way to open the file "time.txt" as readable?

`fopen("time.txt","r+");`

`open("time.txt"."read"):`

**88** What is the correct way to create a function in PHP?

☐ new\_function myFunction()

☒ function myFunction()

☐ create myFunction()

**89** What is the correct way to include the file "time.inc" ?

☒

**90** Include files must have the file extension ".inc"

☐ True

☒ False

**91** In PHP you can use both single quotes ( ' ' ) and double quotes ( " " ) for strings:

☒ True

☐ False

**92** When using the POST method, variables are displayed in the URL:

☐ True

☒ False

**93** How do you get information from a form that is submitted using the "get" method?

☐ Request.

☐ QueryString;

☐ Request.Form;

☒ \$\_GET[];

**94** The PHP syntax is most similar to:

☐ VBScript

☒ Perl and C

☐ JavaScript

**95** What is the correct way to end a PHP statement?

.

New line

**96** All variables in PHP start with which symbol?

!

✓ \$

&

**97** How do you write "Hello World" in PHP

Document.Write("Hello World");

"Hello World";

✓ echo "Hello World";

**98** PHP server scripts are surrounded by delimiters, which?

<&>...

...

✓

**99** What does PHP stand for?

✓ PHP: Hypertext Preprocessor

Private Home Page

Personal Hypertext Processor